

Star Clusters with MOCCA: Black Hole Growth, Multiple Stellar Populations, Gravitational Waves, and Mock Observations



Images generated by OpenAI ChatGPT 4.1

Image Credit: NASA, ESA, and D. Coe, J. Anderson, and R. van der Marel (STScI)

Abbas Askar

Nicolaus Copernicus Astronomical Center

Polish Academy of Sciences

Warsaw, Poland

askar@camk.edu.pl

BH GROWTH

*** Growing Black Holes in Star Clusters ***

<https://bhg.camk.edu.pl/>

MOCCA

<https://camk.pl/mocccacode/>



Scientific Activities in 2025

Publication type	Published	Accepted / In Press	Submitted	Total
Peer-reviewed Journals *	8	4	3	15
Conference Proceedings ‡	0	3	0	3
White Papers †	1	0	0	1

* *Peer-reviewed Journals: A&A (12), ApJ (1), Rep. Prog. Phys. (1), Acta Astronomica (1)*

‡ *IAUS 398 & MODEST-25: Compact Objects & Binaries in Dense Stellar Systems, Seoul, South Korea (June 2025)*

† *ESO Expanding Horizons*

- MOCCA upgrades enabling large- N simulations ($N \sim 10^7 - 10^8$) with improved treatment of key physical processes
- Concluded the EU/EC + NCN POLONEZ BIS grant (“BHGrowth”, Sept 2023–Aug 2025):
 - **21 publications** (17 peer-reviewed journal papers, 3 conference proceedings, 1 book chapter) + 2 manuscripts in preparation
- Started a 3-year NCN SONATA grant (from 1 Sept 2025; ~ 1.75 million PLN) and a tenure-track position at CAMK
 - **“Bridging Observations and Theory: Synthetic Star Cluster Observations from Numerical Simulations”**

Research Highlights: IMBH Formation in the Densest Star Cluster Simulations

- NBODY6++GPU & MOCCA simulations of an extremely dense star cluster ($N = 10^6, r_h = 0.1\text{pc}$)

Parameter	Value
Initial Mass (M_i)	$5.86 \times 10^5 M_\odot$
Half-mass radius (r_{hm})	0.1 pc
Core density (ρ_c)	$4 \times 10^8 M_\odot/\text{pc}^3$
Kroupa IMF, min/max stellar mass	0.08 – 150 M_\odot

- Runaway stellar collisions form a **very massive star (VMS)** $\rightarrow \gtrsim 5 \times 10^4 M_\odot$
 - Significant improvements to the treatment of VMS evolution and rejuvenation
- Pathway to **IMBH (intermediate-mass black hole)** formation on short timescales
- Computational Cost:
 - NBODY6++GPU: multi-GPU/CPU, 2 months \rightarrow 5 Myr
 - MOCCA: single CPU, 10 hours \rightarrow 7 Myr


A&A, 704, A321 (2025)
<https://doi.org/10.1051/0004-6361/202555307>
 © The Authors 2026



Rapid formation of a very massive star ($>50\,000 M_\odot$), and subsequently, of an IMBH, from runaway collisions

Direct N-body and Monte Carlo simulations of dense star clusters

Marcelo C. Vergara^{1,*}, Abbas Askar^{2,*}, Albrecht W. H. Kamlah^{3,1}, Rainer Spurzem^{1,4,5}, Francesco Flammini Dotti^{6,7,1,8}, Dominik R. G. Schleicher^{8,9}, Manuel Arca Sedda^{10,11,12,13}, Arkadiusz Hypki^{14,2}, Mirek Giersz², Jarrod Hurley^{15,16}, Peter Berczik^{2,17}, Andres Escala¹⁸, Nils Hoyer^{3,19,20}, Nadine Neumayer³, Xiaoying Pang^{21,22}, Ataru Tanikawa^{23,24}, Renvue Cen^{25,26} and Thorsten Naab²⁷



Research Highlights: IMBH Formation in the Densest Star Cluster Simulations

- Extremely dense, low-metallicity star cluster models representative of young massive clusters observed with JWST

Table 1. Initial conditions of the cluster models.



Models	R_h [pc]	N 10^5	M [$10^5 M_\odot$]	ρ_h [$M_\odot \text{pc}^{-3}$]	Z
R005N750k	0.05	7.5	4.38	4.18×10^8	10^{-4}
R005N500k	0.05	5	2.93	2.79×10^8	10^{-4}
R001N250k	0.01	2.5	1.46	1.74×10^{10}	10^{-4}
R001N100k	0.01	1	0.58	6.92×10^9	10^{-4}
R0005N50k	0.005	0.5	0.28	2.67×10^{10}	10^{-4}

- Improved stellar collision prescriptions in MOCCA to achieve good agreement with direct N-body simulations
- A predictive mass–density threshold for efficient IMBH formation
- Up to $\sim 10\%$ of young massive clusters observed with JWST could potentially form IMBHs

Efficient black hole seed formation in low-metallicity and dense stellar clusters with implications for JWST sources


M.C. Vergara^{1*}, A. Askar^{2**}, F. Flammini Dotti^{3,4,1,5}, D.R.G. Schleicher^{5,6}, A. Escala⁷, R. Spurzem^{1,8,9}, M. Giersz², J. Hurley^{10,11}, M. Arca Sedda^{12,13,14,15}, and N. Neumayer¹⁶

<https://arxiv.org/abs/2508.14260>




A Few Other Results and Ongoing Collaborations

- Gravitational-wave sources produced in star clusters:
 - with Yuetong Zhao & Youjun Lu (BNU and Chinese Academy of Sciences) & Verónica Vázquez-Aceves (Kavli Institute for Astronomy and Astrophysics, Peking University): Zhao, Askar et al. accepted in ApJ: <https://arxiv.org/abs/2512.13151>
- Omega Cen models with MOCCA:
 - Formation of an IMBH $\rightarrow 2 \times 10^4 - 4 \times 10^4 M_{\odot}$
 - with Arshia Anjum & Holger Baumgardt (The University of Queensland)
- 50-million-body dense star clusters with MOCCA:
 - IMBH formation (seed supermassive BH?) through hierarchical BH mergers $\rightarrow 2 \times 10^5 M_{\odot}$
 - with Dominik Schleicher & Matías Liempi (Sapienza University of Rome)
- POLONEZ BIS student project:
 - Jakub Szyndler (Warsaw Observatory): *Recovering IMBH mass using Jeans modeling with observational constraints* (manuscript in preparation)
- Binaries in 47 Tuc:
 - Inner regions (with Stefan Dreizler (Göttingen) & MUSE team)
 - Outskirts (with Giacomo Cordoni, Paolo Bianchini, Arn Marklund & Alessandra Mastrobuono Battisti)




Omega Cen (Credit: HST)
IMBH in the Center $> 8200 M_{\odot}$ (Häberle et al. 2024)




47 Tuc Model: Increasing binary fraction in the outskirts

A Few Other Results and Ongoing Collaborations

- Mock observations from Direct N -body and MOCCA simulations:
 - *Artificial intelligence based recovery of cluster mass distributions from images*
 - with Paolo Bianchini & Arn Marklund (Observatory of Strasbourg)
- Mass transfer in IMBH - star binaries:
 - with Aleksandra Olejak (MPA → CAMK)
- MOCCA zoom-in simulations with the *Tsunami* code:
 - Inclusion of post-Newtonian corrections, tidal dissipation, external potential
 - with Alessandro Trani (University of Concepción)
- Gravitational-wave lensing by globular clusters and IMBHs:
 - with CAMK colleagues: Sudhagar Suyamprakasam, Sreekanth Harikumar & Michał Bejger, et al.
- Accretion of AGB ejecta by stars in MOCCA simulations:
 - In collaboration with Alexey Bobrick (Monash University) & Melvyn Davies (Lund University)



JWST Mock Images from the “ROLLIN’: Rotating Globular Clusters Simulations” Project (Bianchini, Varri, Askar et al. submitted 2025)



MOCCA Zoom-In Simulations with Tsunami: Dynamics around IMBH

Other Activities

- 15-day Industry Secondment (POLONEZ BIS requirement):
 - Telenor Sweden (HQ, Stockholm; Jul–Aug 2025) — analytics, automation, AI, and large-scale data systems
- Large scientific collaboration & meeting organization:
 - Core Member, LISA (*Laser Interferometer Space Antenna*) Astrophysics Working Group
 - Management & SOC, MODEST-26 Conference at ICISE, Quy Nhon, Vietnam (in Aug 2026)
 - SOC member of IAUS 411 in Bariloche, Argentina (in Nov 2026)
- Dissemination and outreach:
 - 5 conference talks, 3 seminars, 2 invited panels, and 1 popular science talk at CAMK
 - Collaboration with high-school students from *XXXIII LO Dwujęzyczne im. Mikołaja Kopernika* on 2-body encounters initiated after a CAMK popular talk; invited speaker at their *Kopernikalia 2026* festival in 2 weeks.
- CAMK Activities and Duties:
 - Helping organize journal club
 - **Doctoral Students' Ombudsman**

